

## **Prostate Specific Antigen (PSA)**

## IN VITRO DIAGNOSTIC DATASHEET

INTENDED USE: IN VITRO DIAGNOSTIC USE

This product is intended for qualitative immunohistochemistry with normal and neoplastic formalin-fixed, paraffin-embedded tissue sections, to be viewed by light microscopy. it is Rabbit Monoclonal.

**DESCRIPTION:** Prostate-specific antigen (PSA) is a single-chain glycoprotein of 237 amino acids containing approximately 8% carbohydrate. It is a serine protease produced almost exclusively by prostatic epithelial cells. Immunohistochemically PSA is expressed in the highly specialized apically-superficial layer of female and male secretory cells of the prostate gland and is readily demonstrated in adenocarcinomas of the prostate in about 99% of the cases.

CATALOG NO: PL2104 PL2104-R7 7 ML RTU 70 TEST

PL2104-R1 1 ML RTU 10 TEST

**STAINING PATTERN**: Cytoplasmic PL2104-1 1 ML 1/100 1000 TEST

PL2104-0,1 0,1 ML 1/100 100 TEST

**POSITIVE CONTROL**: Prostate

VOLUME: 7 ml Ready to Use (7 ml of antibody prediluted in 0.05mol/L Tris-HCl, pH 7.6 containing

stabilizing protein and 0.015mol/L sodium azide.)

**HOST:** Rabbit Monoclonal

**CLONE**: ZR232

ANTIBODY CONCENTRATION: Not known

SPECIES REACTIVITY: Human, Others not tested.

**EPITOPE:** Not determined

MICROBIOLOGICAL STATE: This product is not sterile.

**PRETREATMENT:** Staining of formalin-fixed tissue sections requires treating the tissue sections in boiling 10mM citrate buffer, pH 6.0, for 10-20 minutes followed by cooling at room temperature for 20 min.

PRIMARY ANTIBODY INCUBATION TIME: 60 minutes at Room Temperature

STAINING TIPS: If the staining is too light, use lower dilution or longer time. If the staining is

too strong, check pretreatment, use higher dilution or shorter time.

STORAGE AND STABILITY: This product contains sodium azide and is stable for 24 months when stored

at 2-8  $^{\circ}$ C. Do not use after expiration date indicated on label of the product. If reagent

is not stored as recommended, performance must be validated by the user.

**TROUBLESHOOTING:** Please contact Patolab Technical Support by e-mail ( patolab@patolab.com.tr ).



